		C	oui	rse	7		
	W60 W65		(3)	3.85	0	20	
\triangleright			1				
1	119		0				
2	156						
1 2 3	159		\leq				
4	151		\leq				
5	114	V	0			\odot	
6	108	V	\setminus)			
7	113		\setminus				
8	144		0			0	
9	133		0			O.	
10	169		\setminus				
11	149		0				
12	142		0				
13	166		0			\odot	
14	165		0				
15	139		\leq				
16	161		0			0	
17	124		0			0	
18	123			Ξ			
19	146		٥			0	
20	138			_			
\bigcirc	(5	0		\ /	O

	Course 7										
	W60 W65		3	3.85	0	20					
\triangleright			1								
	119		0								
2	156										
3	159		\leq								
4	151		\leq								
5	114	\backslash	0			\odot					
6	108	\searrow	\leq)							
7	113		\leq								
8	144		0			\odot					
9	133		0			0					
10	169		\leq								
11	149		0								
12	142		0								
13	166		0			\bigcirc					
14	165		0								
15	139		\setminus								
16	161		0			\odot					
17	124		0			\odot					
18	123		$\sqrt{}$	Ξ							
19	146		0			\odot					
20	138		$\sqrt{}$)							
\bigcirc	<u> </u>		5	0		\ /	$\overline{\mathbb{Q}}$				

	Course 7										
L '	W60 W65		3	3.85	0	20					
\triangleright			/								
1	119		0								
2	156		Ø								
3	159		\leq								
4	151		\leq								
5	114	\overline{N}	0			\odot					
6	108	L	\setminus)							
7	113		\wedge								
8	144		٥			\odot					
9	133		0			\bigcirc					
10	169		\geq								
11	149		0								
12	142		0								
13	166		0			\bigcirc					
14	165		0								
15	139		\leq								
16	161		0			0					
17	124		0			\odot					
18	123		Λ	Ш							
19	146		0			\odot					
20	138)							
\bigcirc			5	0		\ /	$\overline{\mathbb{Q}}$				

		(Cou	se	8		
	M16	;	5	.25	0	2	5
\triangleright			/				
1	101	V	\setminus)			
2	119		0				
3	147		Λ				
4	160		0			Ċ	
5	170		\setminus				
6	149		0				
7	110		0				
8	111		0				
9	131		0				
10	133		0			\bigcirc	
11	153		\setminus				
12	142		0				
13	166		0			\odot	
14	165		0				
15	139		Λ				
16	156						
17	115		0				
18	159						
19	161		٥			0	
20	117		٥)		0	
21	137		٥				
	154						
\bigcirc	(11	10			Ø

		-	Cou	rse	8		
	M16	;	5.250			25	
\triangleright			/				
1	101	7	\setminus)			
2	119		0				
3	147		\leq				
4	160		0			Ċ	
5	170		\setminus				
6	149		0				
7	110		0				
8	111		0				
9	131		0				
10	133		0			Ģ	
11	153		\mathcal{N}				
12	142		0				
13	166		0			0	
14	165		0				
15	139		\leq				
16	156						
17	115		0				
18	159		\leq				
19	161		0			\odot	
20	117		0)		\odot	
21	137		0				
22	154		$\sqrt{}$				
Ō	(1′	10		\ /	O

		(Cou	rse	8		
	M16	;	5	.25	0	2	5
\triangleright			/				
1	101	K	\setminus)			
2	119		0				
3	147		Λ				
4	160		0			·	
5	170		\setminus				
6	149		0				
7	110		0				
8	111		0				
9	131		€				
10	133		0			Ģ	
11	153		Λ				
12	142		0				
13	166		€			\odot	
14	165		0				
15	139		\setminus				
16	156		B				
17	115		0				
18	159		\setminus				
19	161		0			\odot	
20	117		0)		\odot	
21	137		0				
22	154						
\bigcirc	<u> </u>		1	10			$\overline{\mathbb{Q}}$

	Course 9										
	W16	;	4	.13	0	2	20				
\triangleright			/								
1	146		0			\odot					
2	156		6								
1 2 3	158		•			Ċ					
	151		Λ								
5	170		Λ								
6	149		0								
7	153		Λ								
8	144		0			\odot					
9	132		\setminus								
10	145		Λ)							
11	169		Λ								
12	142		0								
13	165		0								
14	160		0			O•					
15	161		€			\odot					
16	117		0)		\odot					
17	137		\Box								
18	154		\setminus								
\bigcirc	<u></u>		11	10			O				

		_	Cou	rse :	9		
١	W16	;	4	.130	0	20	
\triangleright			/				
1	146		0			\odot	
2	156						
3	158		•			•O	
4	151		\leq				
5	170		\leq				
6	149		0				
7	153		\wedge				
8	144		0			\odot	
9	132		\leq				
10	145		Λ)			
11	169		\mathcal{N}				
12	142		0				
13	165		0				
14	160		0			O •	
15	161		0			<u> </u>	
16	117		0)		0	
17	137		0				
18	154		\setminus				
O	<u> </u>		1′	10			O

		C	Cou	rse	9		
	W16	5	4	1.13	2	20	
\triangleright			/				
1	146		٥			\odot	
2	156		Ø				
3	158		•			Ċ	
4	151		\setminus				
5	170		\setminus				
6	149		0				
7	153		\setminus				
8	144		0			\odot	
9	132		\leq				
10	145		\setminus)			
11	169		\setminus				
12	142		0				
13	165		0				
14	160		0			Ċ	
15	161		0			0	
16	117		0	<u> </u>		\odot	
17	137		0				
18	154						
O	<u> </u>		1′	10		/	O

	Course 9										
,	W16		4.130			20					
\triangleright			/								
1	146		0			0					
2	156		B								
3	158		•			•O					
4	151		\leq								
5	170		\leq								
6	149		0								
7	153		\wedge								
8	144		€			0					
9	132		\setminus								
10	145		\setminus)							
11	169		Λ								
12	142		0								
13	165		€								
14	160		0			Ċ					
15	161		0			0					
16	117		0	_		0					
17	137		0								
18	154										
$ \overline{\bigcirc}$	<u> </u>		11	10			O				

		(Cou	rse (9			
1	W16	;	4.130			20		
\triangleright			/					
7	146		0			\odot		
2	156							
3	158		•			•O		
4	151		\leq					
5	170		\leq					
6	149		0					
7	153		\leq					
8	144		0			\odot		
9	132		\leq					
10	145		\leq)				
11	169		\leq					
12	142		0					
13	165		0					
14	160		0			Ô		
15	161		0			\odot		
16	117		0)		\odot		
17	137		0					
18	154							
Ŏ	<u> </u>		11	10		\ /	$\overline{\mathbb{Q}}$	

	Course 9									
Η,	W16	_	_	.13		2	0			
⊢			/							
1 2 3	146		` ()			\odot				
<u> </u>) [
<u> </u>	156		№ •			•				
-	158		•			Ċ				
4	151		\wedge							
5	170		\setminus							
6	149		0							
7	153		\setminus							
8	144		0			\odot				
9	132		\setminus							
10	145		\leq)						
11	169		\geq							
12	142		0							
13	165		0							
14	160		0			Ċ				
15	161		0			0				
16	117		0)		\odot				
17	137		0							
18	154									
\bigcirc			1′	10		\ /	O			

		Course 10										
	EOD1 M14			3.36	0	1	5					
\triangleright			/									
1	119		0									
3	156											
3	157		0									
4	106		Λ)								
5	151		\leq									
6	170		\leq									
7	114	V	0			\odot						
8	169		\wedge									
9	153		\setminus									
10	108	V	\setminus)								
11	142		0									
12	166		0			\odot						
13	165		0									
14	164		B			Q.						
15	161		0			0						
16	163					=						
17	162		*			•						
18	154											
\bigcirc	/		1′	10		\ /	Ø					

		С	our	se 1	0		
	OD M14		3	3.360			5
\triangleright			/				
1	119		0				
2	156						
3	157		0				
4	106		\leq)			
5	151		\leq				
6	170		\leq				
7	114	\backslash	0			\odot	
8	169		\leq				
9	153		\leq				
10	108	\backslash	\leq)			
11	142		0				
12	166		0			\bigcirc	
13	165		0				
14	164		B			Q.	
15	161		0			\odot	
16	163					=	
17	162		*			Ç	
18	154						
\bigcirc	<u> </u>		11	10		\ /	\bigcirc

	Course 10									
	OD M14		3	3.36	0	1	5			
\triangleright			/							
1	119		0							
2	156		Ø							
3	157		0							
4	106		\setminus)						
5	151		\leq							
6	170		\leq							
7	114	V	0			\odot				
8	169		\setminus							
9	153		\setminus							
10	108	7	Λ)						
11	142		0							
12	166		0			0				
13	165		0							
14	164		Ø			Q				
15	161		0			<u>○</u>				
16	163		Λ			-				
17	162		*			·				
18	154		Λ							
\bigcirc			1	10		/	O			

		С	our	se 1	0		
	OD M14		3	3.36	0	15	
\triangleright			1				
1	119		0				
2	156		B				
3	157		0				
4	106		Λ)			
5	151		Λ				
6	170		Λ				
7	114	L	0			0	
8	169		\mathcal{N}				
9	153		Λ				
10	108	∠	Λ)			
11	142		0				
12	166		0			\odot	
13	165		0				
14	164					Q	
15	161		0			0	
16	163		Λ			\vdash	
17	162		*			Ç	
18	154		\bigvee				
\bigcirc	(11	10			O

		С	our	se 1	0		
	OD M14		3	3.36	1	5	
\triangle			\				
1	119		0				
2	156						
3	157		0				
4	106		\mathcal{N})			
5	151		Λ				
6	170		\wedge				
7	114	V	0			0	
8	169		\setminus				
9	153		\wedge				
10	108	V	\wedge)			
11	142		0				
12	166		0			0	
13	165		0				
14	164		6			Q	
15	161		0			0	
16	163		Λ			-	
17	162		*			O	
18	154		Λ				
\bigcirc			1	10			\bigcirc

		С	our	se 1	0		
	OD M14		63	3.36	15		
\triangleright			1				
1	119		0				
2	156						
3	157		0				
4	106		Λ)			
5	151		Λ				
6	170		\wedge				
7	114	L	0			\odot	
8	169		Λ				
9	153		\setminus				
10	108	L	Λ)			
11	142		0				
12	166		0			\odot	
13	165		0				
14	164					Q.	
15	161		0			\odot	
16	163		$\sqrt{}$			=	
17	162		*			Ç	
18	154						
\bigcirc			1	10			Ø

	Course 11										
1	W14	ļ	2	2.87	0	1	5				
\triangleright			/								
 1 2 3	119		0								
2	155		0			O					
3	157		0								
4	159		\leq								
5	151		\setminus								
6	114	V	0			\odot					
7	121	\downarrow	\setminus								
8	142		0								
9	166		0			\odot					
10	165		0								
11	152		0			Q					
12	168		0								
13	164					Q.					
14	161		0			\odot					
15	163		$\sqrt{}$			-					
16	137		0								
17	138)							
$\overline{\bigcirc}$	<u> </u>		5	0		\ /	O				

		С	our	se 1	1		
,	W14	ļ	2	2.870	0	15	
\triangleright			/				
<u>></u>	119		0				
2	155		0			O	
3	157		0				
4	159		\wedge				
5	151		\setminus				
6	114	L	0			\odot	
7	121	\leftarrow	\wedge				
8	142		0				
9	166		0			\bigcirc	
10	165		0				
11	152		0			Q	
12	168		0				
13	164					Q.	
14	161		0			\odot	
15	163		$\sqrt{}$			=	
16	137		0				
17	138			<u> </u>			
\bigcirc	<u> </u>		5	0			O

	Course 11										
	W14	ļ	2.870			15					
\triangleright			/								
1	119		٥								
2	155		0			Ċ					
3	157		0								
4	159		Λ								
5	151		Λ								
6	114	L	0			\odot					
7	121	\leftarrow	Λ								
8	142		0								
9	166		€			\odot					
10	165		€								
11	152		0			Q					
12	168		0								
13	164		Ø			Q					
14	161		0			\odot					
15	163		Λ			\vdash					
16	137		0								
17	138)							
\bigcirc	<u> </u>		5	0		/	O				

		С	our	se 1	1		
	W14		2.870			15	
\triangleright			/				
1	119		0				
2	155		0			·O	
3	157		0				
4	159		\setminus				
5	151		\leq				
6	114	V	0			\odot	
7	121	\downarrow	\leq				
8	142		0				
9	166		0			\bigcirc	
10	165		0				
11	152		0			Q.	
12	168		0				
13	164		B			Q.	
14	161		0			\odot	
15	163					-	
16	137		0				
17	138)			
\bigcirc	<u></u> _		5	0		/	O

		С	our	se 1	1		
١	W14	ļ	2	2.87	0	15	
\triangleright			/				
1	119		0				
2	155		0			Ċ	
3	157		0				
4	159		\leq				
5	151		\leq				
6	114	\	0			\odot	
7	121	\leftarrow	\setminus				
8	142		0				
9	166		0			\odot	
10	165		0				
11	152		0			Ω	
12	168		0				
13	164					Ω	
14	161		0			0	
15	163		Λ			-	
16	137		0				
17	138)			
Ŏ	(5	0		/	

Course 11										
,	W14		2	.87	0	15				
\triangleright			/							
1	119		0							
2	155		0			Ċ				
3	157		0							
4	159		Λ							
5	151		\setminus							
6	114	L	0			\odot				
7	121	\downarrow	\setminus							
8	142		0							
9	166		0			\bigcirc				
10	165		0							
11	152		0			Q.				
12	168		0							
13	164		B			Q.				
14	161		٥			\odot				
15	163		Λ			-				
16	137		٥							
17	138)						
\bigcirc	(5	0		\ /	Ø			

Course 12		M12-W12 2.2k 10m		
Start		Path		
1	150	Boulder Field		
2	119	Depression		
3	155	Hill, North Side		
4	156	Tree		
5	157	Depression		
6	165	Depression		
7	166	Depression, South-West Part		
8	151	Re-entrant		
9	159	Re-entrant		
10	152	Hill, South-West Side		
11	116	Re-entrant		
12	163	Re-entrant, Middle Part		
13	123	Re-entrant, Marshy		
14	162	Thicket, West Side		
15	118	Ruin, South Side		
16	138	Re-entrant, Shallow		
Navigate 50m to Finish				

Course 13		M10-W10-EOD2		
		1.7k 10m		
Start		Path		
1	150	Boulder Field		
2	119	Depression		
3	155	Hill, North Side		
4	156	Tree		
5	157	Depression		
6	158	Knoll, North Side		
7	159	Re-entrant		
8	160	Hill, East Side		
9	164	Tree, South-West Side		
10	161	Depression, North Part		
11	163	Re-entrant, Middle Part		
12	162	Thicket, West Side		
13	118	Ruin, South Side		
Navigate 120m to Finish				